
A: Yes, it will be posted in the FAQ section of the webpage

A: The edition used during the presentation was the 2019 edition published in October 2019, there is no update published for the 2019 edition yet.
To register for e-mail notification about any updates to a CSA Standard

- go to
- click on

A: We will take good note of this comment and will improve the webpage consequently

A: In most cases, under CSA W47.1 parameter stated on the WPDS should be within the range tested, but there could be exceptions. CSA W47.2 essential variables are more restrictive on welding parameters.

A: CSA will publish errata for W59 early in 2021

A: Annex E is not mandatory. As stated in clause E.1:

A: ASTM E23 and A370 are referred in clause E.2.2.

A : If annex K and J prequalification requirements are met for thickness less than 1.6mm, the WPDS could be consider prequalified and accepted without testing. If prequalification requirements cannot be met, then the WPDS will be qualified as per annex J.

A: If all the prequalification requirements are met, no qualification test will be required

A: AWS A5.36 has been withdrawn by AWS. But A5.36M is still referred in CSA W59 and CSA W48, until the next edition of these CSA Standards, AWS A5.36